

**22. Volume total de árvore em pé por grupo de espécies e qualidade da madeira**  
*Total volume of growing stock by species group and wood quality*

Uso do solo: Fogo - Agroflorestal

*Land-use class: Fogo - Agroforestry*

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Prosopis sp.		Acacia sp.		Eucalyptus sp.	
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%
Lenha Firewood	4.0	(0.5 – 7.4)	100.0	16.9	(6.4 – 27.3)	100.0
Madeira Construction wood	–	–	–	–	–	–
<b>Total</b>	<b>4.0</b>	<b>(0.5 – 7.4)</b>	<b>100.0</b>	<b>16.9</b>	<b>(6.4 – 27.3)</b>	<b>100.0</b>

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume								
	Grevillea sp.		Outros folhosas Other broadleaves		Pinus sp.				
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%			
Lenha Firewood	0.9	11.7	33.3	(10.2 – 56.3)	99.8	–	–	–	–
Madeira Construction wood	6.4	(0.0 – 42.0)	88.3	0.1	0.2	–	–	–	–
<b>Total</b>	<b>7.3</b>	<b>(0.0 – 23.1)</b>	<b>100.0</b>	<b>33.3</b>	<b>(10.0 – 56.7)</b>	<b>100.0</b>	<b>–</b>	<b>–</b>	<b>–</b>

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume						
	Outros coníferas Other conifers		Total				
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	
Lenha Firewood	–	–	–	–	54.9	(33.1 – 76.8)	89.4
Madeira Construction wood	–	–	–	–	6.5	(0.0 – 42.5)	10.6
<b>Total</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>–</b>	<b>61.5</b>	<b>(40.0 – 82.9)</b>	<b>100.0</b>

Uso do solo: Fogo - Floresta

*Land-use class: Fogo - Forest*

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume								
	Prosopis sp.		Acacia sp.		Eucalyptus sp.				
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%			
Lenha Firewood	11.4	(9.6 – 13.2)	99.8	3.2	(1.9 – 4.5)	50.6			
Madeira Construction wood	0.0	0.2	3.1	(1.0 – 5.3)	49.4	5.6	(0.7 – 10.5)	93.7	
<b>Total</b>	<b>11.5</b>	<b>(9.6 – 13.3)</b>	<b>100.0</b>	<b>6.4</b>	<b>(3.8 – 8.9)</b>	<b>100.0</b>	<b>6.0</b>	<b>(0.7 – 11.3)</b>	<b>100.0</b>

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume								
	Grevillea sp.		Outros folhosas Other broadleaves		Pinus sp.				
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%			
Lenha Firewood	1.1	(0.3 – 2.0)	32.8	3.8	(1.2 – 6.4)	97.9			
Madeira Construction wood	2.3	(0.9 – 3.8)	67.2	0.1	(0.0 – 0.3)	2.1	1.3	(0.0 – 3.1)	100.0
<b>Total</b>	<b>3.5</b>	<b>(1.9 – 5.1)</b>	<b>100.0</b>	<b>3.8</b>	<b>(1.2 – 6.5)</b>	<b>100.0</b>	<b>1.3</b>	<b>(0.0 – 3.1)</b>	<b>100.0</b>

## Uso do solo: Fogo - Floresta (Continued)

Land-use class: Fogo - Forest (Continued)

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Outros coníferas Other conifers			Total		
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%		
Lenha Firewood	0.0	(0.0 – 0.0)	0.7	19.9	(16.7 – 23.1)	60.4
Madeira Construction wood	0.5	(0.0 – 1.6)	99.3	13.1	(6.8 – 19.3)	39.6
Total	0.5	(0.0 – 1.5)	100.0	33.0	(24.9 – 41.1)	100.0

## Uso do solo: Fogo - Formação florestal aberta

Land-use class: Fogo - Open forest

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Prosopis sp.		Acacia sp.		Eucalyptus sp.	
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%
Lenha Firewood	4.9	(3.8 – 6.0)	99.0	0.2	(0.1 – 0.3)	100.0
Madeira Construction wood	0.0		–	–	–	–
Total	5.0	(3.9 – 6.1)	100.0	0.2	(0.1 – 0.3)	100.0

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume							
	Grevillea sp.		Outros folhosas Other broadleaves		Pinus sp.			
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%		
Lenha Firewood	–	–	0.8	(0.0 – 2.7)	100.0	–	–	–
Madeira Construction wood	0.1	100.0	–	–	–	–	–	–
Total	0.1	100.0	0.8	(0.0 – 2.7)	100.0	–	–	–

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume							
	Outros coníferas Other conifers		Total					
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%		
Lenha Firewood	–	–	5.9	(4.5 – 7.4)	96.8	–	–	–
Madeira Construction wood	–	–	0.2	(0.0 – 0.8)	3.2	–	–	–
Total	–	–	6.1	(4.7 – 7.5)	100.0	–	–	–

## Uso do solo: Fogo - Área arbustiva

Land-use class: Fogo - Shrubland

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume						
	Prosopis sp.		Acacia sp.		Eucalyptus sp.		
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	
Lenha Firewood	0.2	100.0	0.0	100.0	–	–	–
Total	0.2	100.0	0.0	100.0	–	–	–

## Uso do solo: Fogo - Área arbustiva (Continued)

Land-use class: Fogo - Shrubland (Continued)

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Grevillea sp.		Outros folhosas Other broadleaves		Pinus sp.	
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%
Total	0.0	100.0	0.4	100.0	—	—

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Outros coníferas Other conifers		Total			
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%
Lenha Firewood	—	—	—	—	0.6 (0.0 – 1.4)	100.0
Total	—	—	—	—	0.6 (0.0 – 1.4)	100.0

## Uso do solo: All

Land-use class: All

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Prosopis sp.		Acacia sp.		Eucalyptus sp.	
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%
Lenha Firewood	20.5 (17.0 – 24.1)	99.7	20.3 (9.7 – 30.8)	86.6	0.4 (0.0 – 1.0)	6.3
Madeira Construction wood	0.1 — — 0.3		3.1 (1.0 – 5.3)	13.4	5.6 (0.7 – 10.5)	93.7
Total	20.6 (17.0 – 24.1)	100.0	23.4 (12.7 – 34.1)	100.0	6.0 (0.7 – 11.3)	100.0

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Grevillea sp.		Outros folhosas Other broadleaves		Pinus sp.	
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%
Lenha Firewood	2.0 (1.2 – 2.8)	18.4	38.2 (14.9 – 61.5)	99.6	—	—
Madeira Construction wood	8.9 (0.0 – 44.8)	81.6	0.1 (0.0 – 0.3)	0.4	1.3 (0.0 – 3.1)	100.0
Total	10.9 (0.0 – 27.0)	100.0	38.3 (14.8 – 61.9)	100.0	1.3 (0.0 – 3.1)	100.0

Qualidade do lenho Wood quality	Espécie (grupo) / Volume total Species group / Volume					
	Outros coníferas Other conifers		Total			
	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%	thousands m <sup>3</sup> ( $\alpha = 0.1$ )	%
Lenha Firewood	0.0 (0.0 – 0.0)	0.7	81.4 (59.3 – 103.4)	80.4	—	—
Madeira Construction wood	0.5 (0.0 – 1.6)	99.3	19.8 (0.2 – 39.4)	19.6	—	—
Total	0.5 (0.0 – 1.5)	100.0	101.2 (78.4 – 124.0)	100.0	—	—